IEE PROCEEDINGS-A

Science, Measurement and Technology

Vol. 140, 1993

Published by
The IEE, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

IEE Proceedings-A

Science, Measurement and Technology

The Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

Volume 140 1993 UK ISSN 0960–7641

HONORARY EDITORS

Dr. G.W. Chantry (*Information Technology Transfer Consultant*)
Dr. M.J. Cunningham (*University of Manchester*)

Pages in issues of *IEE Proceedings-A*, 1993

Pages	Issue No.	Date
1–108	1	January
109–172	2	March
173–248	3	May
249–344	4	July
345–416	5	September
417–528	6	November

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright, Designs and Patents Act 1988, Part 1, Section 38, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by The Copyright (Librarians and Archivists) (Copying of Copyright Material) Regulations 1989: SI 1989/1212, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $7.50 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0960–7641/93 $7.50 + 0.00. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling charge.

The telephone number of the IEE London office is 071 240 1871; telex: 261176 IEELDN G; facsimile: 071 240 77 35.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.

© 1993: The Institution of Electrical Engineers

Secretary of the IEE: J.C. Williams, PhD, FEng, FIEE
Managing Editor: Gill Wheeler; *Executive Editor:* Kerry Blewett
Graphics Manager: Maurice Partridge

Typeset by: Santype International Limited, Salisbury, Wiltshire, United Kingdom
Printed by: Unwin Brothers Limited, Old Woking, Surrey, United Kingdom

Index

IEE Proceedings-A
Science, Measurement and Technology

Vol. 140, 1993

ABBREVIATIONS

- p paper, address or lecture
- d discussion on a paper
- a abstract of paper or address
- e errata
- s synopsis of a paper published in full in another Part of the IEE Proceedings

Author index

A

Agoris, D.P., and Hatziargyriou, N.D. Approach to partial discharge development in closely coupled cavities embedded in solid dielectrics by the lumped capacitance model p131
Ahmadi, J., and Marvin, A.C. see Marvin, A.C.
Allan, D.M. Practical life-assessment technique for aged transformer insulation p404
Anderson, D.K., Purvis, W.R., Tozer, R.C., and Freeston, I.L. see Purvis, W.R.
Antonopoulos, C.S., Liotopoulos, Th.K., and Kriezis, E.E. see Liotopoulos, Th.K.
Atten, P., and Saker, A. see Saker, A.
Auckland, D.W., Kabir, S.M.F., and Varlow, B.R. Charge deposition in gas filled channels with insulating walls p509

B

Bain, R.J.P., Cochran, A., Donaldson, G.B., and Evanson, S. see Cochran, A.
Bakardjiev, V., Spencer, J.W., Jones, G.R., and Djakov, B.E. see Spencer, J.W.
Baldomir, D., and Hammond, P. Geometrical approach to eddy-current systems p166
Baldomir, D., and Hammond, P. Global geometry of electromagnetic systems p142
Ball, D.J. Comparative health risks of electricity generating systems p81
Baumann, A.E., and Hill, R. see Hill, R.
Beaujean, D.A., Newbery, P.G., and Jayne, M.G. Long-time operation of high breaking capacity fuses p331
Becker, E.B., Chang, J.H., and Driga, M.D. see Chang, J.H.
Bergman, R.S., and Parham, T.G. Applications of thin film reflecting coating technology to tungsten filament lamps p418
Bonnedal, D., Gilgen, H.H., Gisin, N., Pelayo, J., Villuendas, F., Burgmeijer, J.W., Vobian, J., Röpke, U., Kiiveri, P., and Walker, B. see Gilgen, H.H.
Burgmeijer, J.W., Gilgen, H.H., Gisin, N., Pelayo, J., Villuendas, F., Vobian, J., Röpke, U., Bonnedal, D., Kiiveri, P., and Walker, B. see Gilgen, H.H.
Burns, R.W. Early history of the proximity fuze (1937–1940) p224

C

Carter, C.N. Arc control devices for use on all-dielectric self-supporting, optical cables p357
Castilla, M., Montaño, J.-C., López, A., and Gutierrez, J. see Montaño, J.-C.
Chaaraoui, J., Liu, W.D., Wood, J.K., Spencer, J.W., and Jones, G.R. see Liu, W.D.
Chan, E.K.C., and Williamson, S. see Williamson, S.
Chang, J.H., Becker, E.B., and Driga, M.D. Numerical simulation for induction coil launcher using FE–BE method with hybrid potentials p501
Chesshire, J. Environmental impacts of electricity generation: some public policy dimensions p47
Chou, C., Lu, S.-T., Lee, M.-C., and Wu, Y.-P. see Lu, S.-T.
Christopoulos, C., Hui, S.Y.R., Fung, K.K., and Zhang, M.Q. see Hui, S.Y.R.
Cochran, A., Donaldson, G.B., Evanson, S., and Bain, R.J.P. First-generation SQUID-based non-destructive testing system p113
Cockbaine, D.R. Ion mobility scanning ion chamber p155
Cosgrave, J.A., Vourdas, A., Jones, G.R., Spencer, J.W., Murphy, M.M., and Wilson, A. Acoustic monitoring of partial discharges in gas insulated substations using optical sensors p369
Crimp, C.S., Watson, D.B., and Williams, M.R. see Watson, D.B.
Crine, J.-P., Vincent, C., and Olivier, R.G. see Vincent, C.

D

Dalay, B.S., and Parkin, R.M. see Parkin, R.M.
Das, B.N., Narasimha Sarma, N.V.S., and Sinha, B.K. Shielding of field produced by lightning type current pulse through metallic cylinders p517
Dissado, L.A., Fothergill, J.C., Eccles, A., and Houlgreave, J.A. see Fothergill, J.C.
Djakov, B.E., Spencer, J.W., Jones, G.R., and Bakardjiev, V. see Spencer, J.W.
Dokuchaev, N.G. Explicit formulas for currents at branching long lines and for maximum of current amplitudes p249
Dolan, J.E. Effect of transient demagnetisation fields on coherent magnetic switching in ferrites p294
Donaldson, G.B., Cochran, A., Evanson, S., and Bain, R.J.P. see Cochran, A.
Driga, M.D., Chang, J.H., and Becker, E.B. see Chang, J.H.

E

Easthope, F., and Rowland, S.M. see Rowland, S.M.
Eccles, A., Fothergill, J.C., Houlgreave, J.A., and Dissado, L.A. see Fothergill, J.C.
Endean, V.G. Spinning electric dipole model of ball lightning p474
Evanson, S., Cochran, A., Donaldson, G.B., and Bain, R.J.P. see Cochran, A.

F

Faremo, H., and Ildstad, E. Water treeing and dielectric loss of WTR-XLPE cable insulation p393
Fothergill, J.C., Eccles, A., Houlgreave, J.A., and Dissado, L.A. Water tree inception and its dependence upon electric field, voltage and frequency p397
Freeston, I.L., Purvis, W.R., Tozer, R.C., and Anderson, D.K. see Purvis, W.R.
Fry, M.R. Environmental impacts of electricity generation: fuel cells p40
Fung, K.K., Hui, S.Y.R., Zhang, M.Q., and Christopoulos, C. see Hui, S.Y.R.

G

Geens, R., and Wyner, E. Progress in high pressure sodium lamp technology p450
Gilgen, H.H., Gisin, N., Pelayo, J., Villuendas, F., Burgmeijer, J.W., Vobian, J., Röpke, U., Bonnedal, D., Kiiveri, P., and Walker, B. Measurements on birefringent fibres: COST 217 interlaboratory measurement campaign p479
Gisin, N., Gilgen, H.H., Pelayo, J., Villuendas, F., Burgmeijer, J.W., Vobian, J., Röpke, U., Bonnedal, D., Kiiveri, P., and Walker, B. see Gilgen, H.H.
Glendenning, I., Maul, P.R., and Turner, W. see Maul, P.R.
Gregory, C.E., and Wheldon, A.E. see Wheldon, A.E.
Gururaj, B.I., and Satish, L. see Satish, L.
Gutierrez, J., Montaño, J.-C., López, A., and Castilla, M. see Montaño, J.-C.

H

Halliday, J.A. Wind energy: an option for the UK? p53
Hamdi, E.S., Licariao-Nogueira, A.F., and Silvester, P.P. Torque computation by mean and difference potentials p151
Hammond, P., and Baldomir, D. see Baldomir, D.
Hatziargyriou, N.D., and Agoris, D.P. see Agoris, D.P.
Heidemann, A., Hien, S., Panofski, E., and Roll, U. Compact fluorescent lamps p429
Hempstead, C.A. Telpherage and problems of innovation p197
Henderson, I.A., and McGhee, J. Classical taxonomy: An holistic perspective of temperature measuring systems and instruments p263
Hien, S., Heidemann, A., Panofski, E., and Roll, U. see Heidemann, A.
Hill, G.J. Traceable dielectric measurements by resonance methods in the frequency range 1–30 MHz p382
Hill, R., and Baumann, A.E. Environmental costs of photovoltaics p76
Hogg, W.K., Wood, J.W., Sedding, H.G., Kemp, I.J., and Zhu, H. see Wood, J.W.
Houlgreave, J.A., Fothergill, J.C., Eccles, A., and Dissado, L.A. see Fothergill, J.C.
Hui, S.Y.R., Fung, K.K., Zhang, M.Q., and Christopoulos, C. Variable time step technique for transmission line modelling p299
Hui, S.Y.R., Zhu, J.G., and Ramsden, V.S. see Zhu, J.G.

I

Ildstad, E., and Faremo, H. see Faremo, H.

J

Jayne, M.G., Beaujean, D.A., and Newbery, P.G. see Beaujean, D.A.
Jones, G.R., Cosgrave, J.A., Vourdas, A., Spencer, J.W., Murphy, M.M., and Wilson, A. see Cosgrave, J.A.
Jones, G.R., Liu, W.D., Chaaraoui, J., Wood, J.K., and Spencer, J.W. see Liu, W.D.
Jones, G.R., Spencer, J.W., Djakov, B.E., and Bakardjiev, V. see Spencer, J.W.

K

Kabir, S.M.F., Auckland, D.W., and Varlow, B.R. see Auckland, D.W.
Kellett, J.E. Role of the town and country planning system in controlling the development of electricity generating installations p94
Kemp, I.J., Wood, J.W., Sedding, H.G., Hogg, W.K., and Zhu, H. see Wood, J.W.
Khatib, H. Electricity in the global energy scene p24
Kiiveri, P., Gilgen, H.H., Gisin, N., Pelayo, J., Villuendas, F., Burgmeijer, J.W., Vobian, J., Röpke, U., Bonnedal, D., and Walker, B. see Gilgen, H.H.
Kriezis, E.E., Liotopoulos, Th.K., and Antonopoulos, C.S. see Liotopoulos, Th.K.

L

Lee, M.-C., Lu, S.-T., Chou, C., and Wu, Y.-P. see Lu, S.-T.
Lewis, T.J., Llewellyn, J.P., and van der Sluijs, M.J. Electrokinetic properties of metal–dielectric interfaces p385
Licariao-Nogueira, A.F., Hamdi, E.S., and Silvester, P.P. see Hamdi, E.S.
Liotopoulos, Th.K., Antonopoulos, C.S., and Kriezis, E.E. Low-frequency generalised solution for the shielding effectiveness of a multicoated system of coaxial cylindrical shells p257
Liu, W.D., Chaaraoui, J., Wood, J.K., Spencer, J.W., and Jones, G.R. Parasitic arcing in EHV circuit breakers p522
Llewellyn, J.P., Lewis, T.J., and van der Sluijs, M.J. see Lewis, T.J.
López, A., Montaño, J.-C., Castilla, M., and Gutierrez, J. see Montaño, J.-C.
Lu, S.-T., Chou, C., Lee, M.-C., and Wu, Y.-P. Electro-optical target system for position and speed measurement p252
Lynch, A.C. Impact of electronic devices on electrical measurement p221

M

Mahi, P. Environmental assessment of combined heat and power projects p29
Maksiejewski, J.L. Losses in tubular cylindrical conductors due to current surges, taking skin effect into account p496
Maksiejewski, J.L. Thermal response of bimetallic conductors under surge currents taking the skin effect into account p338
Marvin, A.C., and Ahmadi, J. Comparison of open-field test sites used for radiated emission measurements p161
Mascarenhas, E.J.P. Applications of electronic circuits in lighting p435
Maul, P.R., Turner, W., and Glendenning, I. Environmental impacts of nuclear power: past experience and future prospects p13
McGhee, J., and Henderson, I.A. see Henderson, I.A.
Montaño, J.-C., López, A., Castilla, M., and Gutierrez, J. DSP-based algorithm for electric power measurement p485
Murphy, M.M., Cosgrave, J.A., Vourdas, A., Jones, G.R., Spencer, J.W., and Wilson, A. see Cosgrave, J.A.

N

Naidu, S.R., and Souza, B.A. Steady-state sinusoidal response of circuits with a nonlinear inductive element p287
Narasimha Sarma, N.V.S., Das, B.N., and Sinha, B.K. see Das, B.N.
Naybour, R.D. Location of the prebreakdown region in a cross-linked polyethylene insulated cable p363
Newbery, P.G., Beaujean, D.A., and Jayne, M.G. see Beaujean, D.A.

O

Olivier, R.G., Vincent, C., and Crine, J.-P. see Vincent, C.

P

Panofski, E., Heidemann, A., Hien, S., and Roll, U. see Heidemann, A.
Parham, T.G., and Bergman, R.S. see Bergman, R.S.
Parker, D.M. Environmental implications of tidal power generation p71
Parkin, R.M., and Dalay, B.S. Readout systems for linear transducers p491
Pearson, P.J.G. Environmental impacts of electricity generated by developing countries: issues, priorities and carbon dioxide emissions p100
Pelayo, J., Gilgen, H.H., Gisin, N., Villuendas, F., Burgmeijer, J.W., Vobian, J., Röpke, U., Bonnedal, D., Kiiveri, P., and Walker, B. see Gilgen, H.H.
Phillips, V.J. The 'Italian Navy coherer' affair: a turn-of-the-century scandal p175
Picken, M.J., and Thorpe, T.W. see Thorpe, T.W.
Pocock, R.F. Andrew Crosse: Early nineteenth-century amateur of electrical science p187
Porteous, A. Developments in, and environmental impacts of, electricity generation from municipal solid waste and landfill gas combustion p86
Purvis, W.R., Tozer, R.C., Anderson, D.K., and Freeston, I.L. Induced current impedance imaging p135

R

Ramsden, V.S., Zhu, J.G., and Hui, S.Y.R. see Zhu, J.G.
Röpke, U., Gilgen, H.H., Gisin, N., Pelayo, J., Villuendas, F., Burgmeijer, J.W., Vobian, J., Bonnedal, D., Kiiveri, P., and Walker, B. see Gilgen, H.H.
Roll, U., Heidemann, A., Hien, S., and Panofski, E. see Heidemann, A.
Rowland, S.M., and Easthope, F. Electrical ageing and testing of dielectric self-supporting cables for overhead power lines p351

S

Saker, A., and Atten, P. Potential distribution along single negative creeping streamer in transformer oil p375
Satish, L., and Gururaj, B.I. Partial discharge pattern classification using multilayer neural networks p323
Sedding, H.G., Wood, J.W., Hogg, W.K., Kemp, I.J., and Zhu, H. see Wood, J.W.
Shaw, T.L. Environmental effects of hydropower schemes p20
Silvester, P.P., Hamdi, E.S., and Licariao-Nogueira, A.F. see Hamdi, E.S.
Sinha, B.K., Das, B.N., and Narasimha Sarma, N.V.S. see Das, B.N.
Souza, B.A., and Naidu, S.R. see Naidu, S.R.
Spencer, J.W., Cosgrave, J.A., Vourdas, A., Jones, G.R., Murphy, M.M., and Wilson, A. see Cosgrave, J.A.
Spencer, J.W., Jones, G.R., Djakov, B.E., and Bakardjiev, V. Behaviour of electromagnetically rotated arcs in gas heaters and circuit interrupters p271
Spencer, J.W., Liu, W.D., Chaaraoui, J., Wood, J.K., and Jones, G.R. see Liu, W.D.
Stacey, R., and Weight, J.P. Ultrasonic echo responses from targets in solid media using finite difference methods p303
Sugiura, M. Review of metal-halide discharge-lamp development 1980–1992 p443
Symons, L. The Electrical Association for Women, 1924–1986 p215

T

Thorpe, T.W., and Picken, M.J. Wave energy devices and the marine environment p63
Tozer, R.C., Purvis, W.R., Anderson, D.K., and Freeston, I.L. see Purvis, W.R.
Turner, W., Maul, P.R., and Glendenning, I. see Maul, P.R.

V

Van der sluijs, M.J., Lewis, T.J., and Llewellyn, J.P. see Lewis, T.J.
Varlow, B.R., Auckland, D.W., and Kabir, S.M.F. see Auckland, D.W.
Villuendas, F., Gilgen, H.H., Gisin, N., Pelayo, J., Burgmeijer, J.W., Vobian, J., Röpke, U., Bonnedal, D., Kiiveri, P., and Walker, B. see Gilgen, H.H.
Vincent, C., Crine, J.-P., and Olivier, R.G. Ultrasonic agitation: Is it detrimental to the electrical properties of insulating oils p269
Vobian, J., Gilgen, H.H., Gisin, N., Pelayo, J., Villuendas, F., Burgmeijer, J.W., Röpke, U., Bonnedal, D., Kiiveri, P., and Walker, B. see Gilgen, H.H.
Vourdas, A., Cosgrave, J.A., Jones, G.R., Spencer, J.W., Murphy, M.M., and Wilson, A. see Cosgrave, J.A.

W

Walker, B., Gilgen, H.H., Gisin, N., Pelayo, J., Villuendas, F., Burgmeijer, J.W., Vobian, J., Röpke, U., Bonnedal, D., and Kiiveri, P. see Gilgen, H.H.
Wang, C.X., Wilson, A., and Watts, M.W. Surface flashover sustained by electrostatic surface charge on epoxy resin insulator in SF_6 p346
Watson, D.B., Williams, M.R., and Crimp, C.S. Ball-bearing motors p281
Watts, M.W., Wang, C.X., and Wilson, A. see Wang, C.X.
Weight, J.P., and Stacey, R. see Stacey, R.
Wharmby, D.O. Electrodeless lamps for lighting: a review p465
Wheldon, A.E., and Gregory, C.E. Energy, electricity and the environment p2
Williams, A. Role of fossil fuels in electricity generation and their environmental impact p8
Williams, M.R., Watson, D.B., and Crimp, C.S. see Watson, D.B.
Williamson, S., and Chan, E.K.C. Three-dimensional finite-element formulation for problems involving time-varying fields, relative motion, and magnetic saturation p121
Wilson, A., Cosgrave, J.A., Vourdas, A., Jones, G.R., Spencer, J.W., and Murphy, M.M. see Cosgrave, J.A.
Wilson, A., Wang, C.X., and Watts, M.W. see Wang, C.X.
Wood, J.K., Liu, W.D., Chaaraoui, J., Spencer, J.W., and Jones, G.R. see Liu, W.D.
Wood, J.W., Sedding, H.G., Hogg, W.K., Kemp, I.J., and Zhu, H. Partial discharges in HV machines; initial considerations for a PD specification p409
Woodward, G. History of a single-phase high-voltage distribution system p207
Wu, Y.-P., Lu, S.-T., Chou, C., and Lee, M.-C. see Lu, S.-T.
Wyner, E., and Geens, R. see Geens, R.

Y

Yamano, Y. Relationship between polarity of surface leader and contact angle on insulator with backing electrode under AC voltage application p109

Z

Zhang, M.Q., Hui, S.Y.R., Fung, K.K., and Christopoulos, C. see Hui, S.Y.R.
Zhu, H., Wood, J.W., Sedding, H.G., Hogg, W.K., and Kemp, I.J. see Wood, J.W.
Zhu, J.G., Hui, S.Y.R., and Ramsden, V.S. Discrete modelling of magnetic cores including hysteresis, eddy current and anomalous losses p317

Subject index

ARCING

Behaviour of electromagnetically rotated arcs in gas heaters and circuit interrupters. J.W. Spencer, G.R. Jones, B.E. Djakov and V. Bakardjiev p271
Parasitic arcing in EHV circuit breakers. W.D. Liu, J. Chaaraoui, J.K. Wood, J.W. Spencer and G.R. Jones p522
Partial discharge pattern classification using multilayer neural networks. L. Satish and B.I. Gururaj p323
Partial discharges in HV machines; initial considerations for a PD specification. J.W. Wood, H.G. Sedding, W.K. Hogg, I.J. Kemp and H. Zhu p409
Potential distribution along single negative creeping streamer in transformer oil. A. Saker and P. Atten p375
Relationship between polarity of surface leader and contact angle on insulator with backing electrode under AC voltage application. Y. Yamano p109

BATTERIES AND CELLS

Environmental impacts of electricity generation: fuel cells. M.R. Fry p40

BREAKDOWN AND GAS DISCHARGES

Acoustic monitoring of partial discharges in gas insulated substations using optical sensors. J.A. Cosgrave, A. Vourdas, G.R. Jones, J.W. Spencer, M.M. Murphy and A. Wilson p369
Approach to partial discharge development in closely coupled cavities embedded in solid dielectrics by the lumped capacitance model. D.P. Agoris and N.D. Hatziargyriou p131

CABLES AND OVERHEAD LINES

Electrical ageing and testing of dielectric self-supporting cables for overhead power lines. S.M. Rowland and F. Easthope p351

CIRCUIT BREAKERS AND CIRCUIT BREAKING

Behaviour of electromagnetically rotated arcs in gas heaters and circuit interrupters. J.W. Spencer, G.R. Jones, B.E. Djakov and V. Bakardjiev p271
Long-time operation of high breaking capacity fuses. D.A. Beaujean, P.G. Newbery and M.G. Jayne p331
Parasitic arcing in EHV circuit breakers. W.D. Liu, J. Chaaraoui, J.K. Wood, J.W. Spencer and G.R. Jones p522

CODES AND DECODING

The code-breaking computers of 1944:. p237

DIELECTRIC MATERIALS

Approach to partial discharge development in closely coupled cavities embedded in solid dielectrics by the lumped capacitance model. D.P. Agoris and N.D. Hatziargyriou p131
Electrokinetic properties of metal–dielectric interfaces. T.J. Lewis, J.P. Llewellyn and M.J. van der Sluijs p385
Potential distribution along single negative creeping streamer in transformer oil. A. Saker and P. Atten p375
Traceable dielectric measurements by resonance methods in the frequency range 1–30 MHz. G.J. Hill p382

EDDY CURRENTS

Geometrical approach to eddy-current systems. D. Baldomir and P. Hammond p166
Low-frequency generalised solution for the shielding effectiveness of a multicoated system of coaxial cylindrical shells. Th.K. Liotopoulos, C.S. Antonopoulos and E.E. Kriezis p257
Three-dimensional finite-element formulation for problems involving time-varying fields, relative motion, and magnetic saturation. S. Williamson and E.K.C. Chan p121

EDUCATION AND TRAINING

The Electrical Association for Women, 1924–1986. L. Symons p215

ELECTRICAL MACHINES

Induced current impedance imaging. W.R. Purvis, R.C. Tozer, D.K. Anderson and I.L. Freeston p135

ELECTROMAGNETIC THEORY

Explicit formulas for currents at branching long lines and for maximum of current amplitudes. N.G. Dokuchaev p249
Geometrical approach to eddy-current systems. D. Baldomir and P. Hammond p166
Global geometry of electromagnetic systems. D. Baldomir and P. Hammond p142
Spinning electric dipole model of ball lightning. V.G. Endean p474

ENERGY CONVERSION AND STORAGE

Energy, electricity and the environment. A.E. Wheldon and C.E. Gregory p2
Environmental impacts of electricity generation: fuel cells. M.R. Fry p40
Wind energy: an option for the UK?. J.A. Halliday p53

FERRITES AND FERROMAGNETICS

Effect of transient demagnetisation fields on coherent magnetic switching in ferrites. J.E. Dolan p294

FILTERS AND FILTERING

Applications of thin film reflecting coating technology to tungsten filament lamps. R.S. Bergman and T.G. Parham p418

GENERATORS

Partial discharges in HV machines; initial considerations for a PD specification. J.W. Wood, H.G. Sedding, W.K. Hogg, I.J. Kemp and H. Zhu p409

HAZARDS

Comparative health risks of electricity generating systems. D.J. Ball p81
Developments in, and environmental impacts of, electricity generation from municipal solid waste and landfill gas combustion. A. Porteous p86
Environmental costs of photovoltaics. R. Hill and A.E. Baumann p76

HISTORY

Andrew Crosse: Early nineteenth-century amateur of electrical science. R.F. Pocock p187
Early history of the proximity fuze (1937–1940). R.W. Burns p224
History of a single-phase high-voltage distribution system. G. Woodward p207
Impact of electronic devices on electrical measurement. A.C. Lynch p221
Telpherage and problems of innovation. C.A. Hempstead p197
The 'Italian Navy coherer' affair: a turn-of-the-century scandal. V.J. Phillips p175
The Electrical Association for Women, 1924–1986. L. Symons p215
The code-breaking computers of 1944:. p237

INDUCTION MOTORS

Numerical simulation for induction coil launcher using FE–BE method with hybrid potentials. J.H. Chang, E.B. Becker and M.D. Driga p501

INSTRUMENTATION AND MEASURING SCIENCE

Classical taxonomy: An holistic perspective of temperature measuring systems and instruments. I.A. Henderson and J. McGhee p263
Comparison of open-field test sites used for radiated emission measurements. A.C. Marvin and J. Ahmadi p161
Electro-optical target system for position and speed measurement. S.-T. Lu, C. Chou, M.-C. Lee and Y.-P. Wu p252
Impact of electronic devices on electrical measurement. A.C. Lynch p221
Measurements on birefringent fibres: COST 217 interlaboratory measurement campaign. H.H. Gilgen, N. Gisin, J. Pelayo, F. Villuendas, J.W. Burgmeijer, J. Vobian, U. Röpke, D. Bonnedal, P. Kiiveri and B. Walker p479
Traceable dielectric measurements by resonance methods in the frequency range 1–30 MHz. G.J. Hill p382

INSULATORS AND INSULATION

Charge deposition in gas filled channels with insulating walls. D.W. Auckland, S.M.F. Kabir and B.R. Varlow p509
Electrokinetic properties of metal–dielectric interfaces. T.J. Lewis, J.P. Llewellyn and M.J. van der Sluijs p385
Location of the prebreakdown region in a cross-linked polyethylene insulated cable. R.D. Naybour p363
Practical life-assessment technique for aged transformer insulation. D.M. Allan p404
Surface flashover sustained by electrostatic surface charge on epoxy resin insulator in SF_6. C.X. Wang, A. Wilson and M.W. Watts p346
Ultrasonic agitation: Is it detrimental to the electrical properties of insulating oils. C. Vincent, J.-P. Crine and R.G. Olivier p269
Water tree inception and its dependence upon electric field, voltage and frequency. J.C. Fothergill, A. Eccles, J.A. Houlgreave and L.A. Dissado p397
Water treeing and dielectric loss of WTR-XLPE cable insulation. H. Faremo and E. Ildstad p393

LIGHTING

Applications of electronic circuits in lighting. E.J.P. Mascarenhas p435
Applications of thin film reflecting coating technology to tungsten filament lamps. R.S. Bergman and T.G. Parham p418
Compact fluorescent lamps. A. Heidemann, S. Hien, E. Panofski and U. Roll p429
Electrodeless lamps for lighting: a review. D.O. Wharmby p465
Progress in high pressure sodium lamp technology. R. Geens and E. Wyner p450
Review of metal-halide discharge-lamp development 1980–1992. M. Sugiura p443
Spinning electric dipole model of ball lightning. V.G. Endean p474

LIGHTNING AND LIGHTNING PROTECTION

Losses in tubular cylindrical conductors due to current surges, taking skin effect into account. J.L. Maksiejewski p496
Shielding of field produced by lightning type current pulse through metallic cylinders. B.N. Das, N.V.S. Narasimha Sarma and B.K. Sinha p517
Thermal response of bimetallic conductors under surge currents taking the skin effect into account. J.L. Maksiejewski p338

LONG-TERM PLANNING

Environmental impacts of electricity generation: some public policy dimensions. J. Chesshire p47

MAGNETIC DEVICES AND PROPERTIES

Discrete modelling of magnetic cores including hysteresis, eddy current and anomalous losses. J.G. Zhu, S.Y.R. Hui and V.S. Ramsden p317

MAGNETIC FIELDS

First-generation SQUID-based nondestructive testing system. A. Cochran, G.B. Donaldson, S. Evanson and R.J.P. Bain p113

MATHEMATICAL TECHNIQUES

DSP-based algorithm for electric power measurement. J.-C. Montaño, A. López, M. Castilla and J. Gutierrez p485

MOTORS

Ball-bearing motors. D.B. Watson, M.R. Williams and C.S. Crimp p281
Partial discharges in HV machines; initial considerations for a PD specification. J.W. Wood, H.G. Sedding, W.K. Hogg, I.J. Kemp and H. Zhu p409
Torque computation by mean and difference potentials. E.S. Hamdi, A.F. Licariao-Nogueira and P.P. Silvester p151

NONDESTRUCTIVE TESTING

First-generation SQUID-based nondestructive testing system. A. Cochran, G.B. Donaldson, S. Evanson and R.J.P. Bain p113

NONLINEAR SYSTEMS

Steady-state sinusoidal response of circuits with a nonlinear inductive element. S.R. Naidu and B.A. Souza p287

NUMERICAL ANALYSIS

Three-dimensional finite-element formulation for problems involving time-varying fields, relative motion, and magnetic saturation. S. Williamson and E.K.C. Chan p121

OPTICAL CABLES

Arc control devices for use on all-dielectric self-supporting, optical cables. C.N. Carter p357

OPTICS

Acoustic monitoring of partial discharges in gas insulated substations using optical sensors. J.A. Cosgrave, A. Vourdas, G.R. Jones, J.W. Spencer, M.M. Murphy and A. Wilson p369
Electrical ageing and testing of dielectric self-supporting cables for overhead power lines. S.M. Rowland and F. Easthope p351
Measurements on birefringent fibres: COST 217 interlaboratory measurement campaign. H.H. Gilgen, N. Gisin, J. Pelayo, F. Villuendas, J.W. Burgmeijer, J. Vobian, U. Röpke, D. Bonnedal, P. Kiiveri and B. Walker p479

PLASMAS

Behaviour of electromagnetically rotated arcs in gas heaters and circuit interrupters. J.W. Spencer, G.R. Jones, B.E. Djakov and V. Bakardjiev p271

POWER SYSTEMS AND PLANT

Comparative health risks of electricity generating systems. D.J. Ball p81
Developments in, and environmental impacts of, electricity generation from municipal solid waste and landfill gas combustion. A. Porteous p86
Environmental assessment of combined heat and power projects. P. Mahi p29
Environmental effects of hydropower schemes. T.L. Shaw p20
Environmental impacts of electricity generation: fuel cells. M.R. Fry p40
Role of fossil fuels in electricity generation and their environmental impact. A. Williams p8
Role of the town and country planning system in controlling the development of electricity generating installations. J.E. Kellett p94

POWER TRANSMISSION AND DISTRIBUTION

Electrical ageing and testing of dielectric self-supporting cables for overhead power lines. S.M. Rowland and F. Easthope p351
Environmental assessment of combined heat and power projects. P. Mahi p29
History of a single-phase high-voltage distribution system. G. Woodward p207
Role of the town and country planning system in controlling the development of electricity generating installations. J.E. Kellett p94

POWER UTILISATION AND INDUSTRIAL APPLICATIONS

Energy, electricity and the environment. A.E. Wheldon and C.E. Gregory p2
Environmental impacts of electricity generation: some public policy dimensions. J. Chesshire p47

RADIO-WAVE PROPAGATION (TROPOSPHERIC)

The 'Italian Navy coherer' affair: a turn-of-the-century scandal. V.J. Phillips p175

REVIEWS OF PROGRESS

Electricity in the global energy scene. H. Khatib p24
Energy, electricity and the environment. A.E. Wheldon and C.E. Gregory p2
Environmental impacts of electricity generation: some public policy dimensions. J. Chesshire p47
Environmental impacts of nuclear power: past experience and future prospects. P.R. Maul, W. Turner and I. Glendenning p13

SIMULATION

Long-time operation of high breaking capacity fuses. D.A. Beaujean, P.G. Newbery and M.G. Jayne p331

SOCIAL RESPONSIBILITY

Environmental impacts of electricity generated by developing countries: issues, priorities and carbon dioxide emissions. P.J.G. Pearson p100
Environmental impacts of nuclear power: past experience and future prospects. P.R. Maul, W. Turner and I. Glendenning p13

SOLAR POWER

Environmental costs of photovoltaics. R. Hill and A.E. Baumann p76

SONICS AND ULTRASONICS

Ultrasonic echo responses from targets in solid media using finite difference methods. R. Stacey and J.P. Weight p303

TIDAL POWER

Environmental implications of tidal power generation. D.M. Parker p71

TRANSDUCERS

Readout systems for linear transducers. R.M. Parkin and B.S. Dalay p491

TRANSFORMERS

Practical life-assessment technique for aged transformer insulation. D.M. Allan p404

TRANSMISSION LINES

Explicit formulas for currents at branching long lines and for maximum of current amplitudes. N.G. Dokuchaev p249
Ion mobility scanning ion chamber. D.R. Cockbaine p155
Variable time step technique for transmission line modelling. S.Y.R. Hui, K.K. Fung, M.Q. Zhang and C. Christopoulos p299

WAVE POWER

Wave energy devices and the marine environment. T.W. Thorpe and M.J. Picken p63